



Accumax
Global Pty Ltd

Providing solutions to manage & reduce RISK!

Edition 2



MAXSafe

DRILL & BLAST

MAXBund

MAXSafe

MAXChock

TABLE OF CONTENTS

Safety Cones	2
Solar Warning Beacon	4
Stackable Bollards	5
Picket Pockets	6
Drill & Blast Vehicle Sign	7
Reflectaline®	7
Blast Boards	8
Drill Products	10
Chip Deflector	11
Floor Protection	12



SAFETY CONES

Made from tough moulded plastic, our safety cones are more stable than traditional traffic cones, particularly useful in high wind areas.

Three faces available for messages make them ideal for identifying temporary areas such as blast zones or other restricted access situations.

Our safety cones are stackable for compact transport and storage.

FEATURES

- ✓ Made from tough moulded plastic
- ✓ 3 faces available for custom messages
- ✓ Customise with any text on reflective
- ✓ Ideal for identifying temporary areas such as blast zones or other restricted access situations & car parks
- ✓ Stackable & UV stabilised
- ✓ For use with solar warning beacons & Reflectaline®

COLOUR:     

SIZE: 600mm or 900mm height
WEIGHT: 4kg or 9kg

Product Code	Colour	Size
MAX-PC6-BL	Blue	600mm
MAX-PC6-GR	Green	600mm
MAX-PC6-R	Red	600mm
MAX-PC6-W	White	600mm
MAX-PC6-Y	Yellow	600mm
MAX-PC9-BL	Blue	900mm
MAX-PC9-GR	Green	900mm
MAX-PC9-R	Red	900mm
MAX-PC9-W	White	900mm
MAX-PC9-Y	Yellow	900mm

SAFETY CONES



AVAILABLE IN TWO SIZES & FIVE COLOURS



Our safety cones can be supplied with your own customised message.

Call us for further information.



SOLAR WARNING BEACON

SOLAR WARNING BEACON

FEATURES

- ✓ Solar panel & light sensitive switch
- ✓ LED flashing light in 5 colours
- ✓ Class 1 reflective band
- ✓ Fully sealed from water & dust
- ✓ Attach to regular traffic cones or to our safety cones
- ✓ 500m - 1km visibility
- ✓ Light sensor
- ✓ Flash rate 60 times per minute
- ✓ Longer lasting & durable

COLOUR:     

SIZE: 200mm



PRODUCT CODE	COLOUR	SIZE
SWB-BLU	Blue	200mm
SWB-GRN	Green	200mm
SWB-RED	Red	200mm
SWB-WHT	White	200mm
SWB-YEL	Yellow	200mm



Use with our safety cones or standard cones



SOLAR WARNING BEACON MOUNTING BRACKET

Mount solar warning beacon using mounting bracket

PRODUCT CODE:
SWB-MB



SOLAR WARNING BEACON STORAGE CASE

FEATURES

- ✓ Lockable plastic carry case which holds up to 6 solar warning beacons
- ✓ Cases are fully sealed from dust & water
- ✓ Inner foam membrane which protects contents from excessive shock

SIZE: 430mm x 530mm x 140mm

PRODUCT CODE: SWB-SC



SOLAR WARNING BEACON – HIGH VISIBILITY

COLOUR:     

SIZE: 155mm H x 166mm diameter

FEATURES

- ✓ Uses high-intensity LEDs
- ✓ Nominal night range: + 5.5km
- ✓ Vertical divergence: +/-3.5° at 50% intensity
- ✓ Horizontal output: 360°
- ✓ Minimum autonomy: 140 hours



- ✓ Latitude range: 55°S to 55°N
- ✓ On/off level: 60/100 Lux
- ✓ Flashing: 16 LEDs
- ✓ Waterproof: as per IP67
- ✓ More powerful than standard solar warning beacons

PRODUCT CODE	COLOUR
SWB-HV-BLU	Blue
SWB-HV-GRN	Green
SWB-HV-RED	Red
SWB-HV-WHT	White
SWB-HV-YEL	Yellow

STACKABLE BOLLARDS



1000mm STACKABLE BOLLARDS

COLOUR:    

SIZE: 1000mm height

WEIGHT: 8kg


FEATURES

- ✓ 250mm Class 1 white reflective collar
- ✓ Lightweight & stackable
- ✓ Heavy-duty base strong handle cut out
- ✓ Ideal to use with Reflectaline® for economical barrier system

PRODUCT CODE	COLOUR
MAX-TTS-B	Blue
MAX-TTS-R	Red
MAX-TTS-W	White
MAX-TTS-Y	Yellow



700mm BOLLARD COLLAR



FEATURES

- ✓ Class 1 reflective
- ✓ Custom text available

COLOUR:    

SIZE: 700mm height

PRODUCT CODE	COLOUR
MAX-TTS-BC	Blue
MAX-TTS-RC	Red
MAX-TTS-WC	White
MAX-TTS-YC	Yellow



PICKET POCKETS

FEATURES

- ✓ Class 1 reflective material
- ✓ Install over picket or stake
- ✓ Optional weatherproof document pocket allows for easy identification & compliance checks
- ✓ Custom the text to suit your requirements

COLOUR:    

SIZE: 200mm x 1000mm or 2000mm



PRODUCT CODE	COLOUR	SIZE (mm)
MAX-PP-B1	Blue	200 x 1000
MAX-PP-R1	Red	200 x 1000
MAX-PP-W1	White	200 x 1000
MAX-PP-Y1	Yellow	200 x 1000
MAX-PP-B2	Blue	200 x 2000
MAX-PP-R2	Red	200 x 2000
MAX-PP-W2	White	200 x 2000
MAX-PP-Y2	Yellow	200 x 2000



DRILL & BLAST VEHICLE SIGN

FEATURES

- ✓ Flexible Class 1 reflective material
- ✓ Super-strong button magnetics welded into each corner for fixing to blast guard vehicles
- ✓ Can be rolled up & stored away without damage or affecting performance
- ✓ Custom sizes, colours & text available

COLOUR: 

SIZE: 750mm x 450mm



MAX-RSSBIP

PRODUCT CODE	DESCRIPTION	COLOUR
MAX-RSBGR	BLAST GUARD	White text on Red
MAX-RSNEB	NO ENTRY BLASTING	White text on Red
MAX-RSBGW	BLAST GUARD	Red text on White
MAX-RSSBIP	STOP, BLASTING IN PROGRESS	White text on Red

REFLECTALINE®

FEATURES

- ✓ Reflective barricading system
- ✓ Use on mine sites & other areas where highly visible barrier is required day & night
- ✓ U.V. stabilised yellow cord
- ✓ Ideal use with T-top or stackable bollards
- ✓ Class 1 reflective tags
- ✓ Custom colours & reflective tags upon request

PRODUCT CODE	COLOUR	LENGTH
MAX-RL-OY1	Orange/Yellow	100m
MAX-RL-OY2	Orange/Yellow	500m
MAX-RL-OY3	Orange/Yellow	1000m
MAX-RL-Y1	Yellow	500m
MAX-RL-Y2	Yellow	1000m


Made in
Australia




COLOUR: 

BLAST BOARDS



FEATURES

- ✓ Custom made blast notification boards
- ✓ Any size using the highest quality materials & using the latest technologies including LED lights, message boards & solar power
- ✓ Heavy duty construction
- ✓ Diamond Grade reflective material
- ✓ Easy operation
- ✓ Easy changeover (magnetic)



BLASTING TODAY

BLOCK

5

STRIP

00

TYPE

OV

ANY TIME

PM

BLOCK

STRIP

TYPE

ANY TIME

BLAST BOARD

BLASTING TODAY

LOCATION

TIME

YOUR PERSONALISED INFORMATION & LOGO HERE

We can personalise any sign or board to meet your specific needs and specifications. Contact us for further information.

BLASTING TODAY

R.L.

LOC.

TIME

10:30 AM

YOUR PERSONALISED INFORMATION & LOGO HERE

RESTRICTED AREA
LOADED BLAST
CONTACT OCE / SHOTFIRER

BLASTING TODAY

23/05

<div>AREA</div> <div>DOM 5</div>	<div>TYPE</div> <div>INTERBURDEN</div>	<div>AREA</div> <div>CE STH</div>	<div>TIME</div> <div>11:00 AM</div>
<div>AREA</div> <div></div>	<div>TYPE</div> <div></div>	<div>AREA</div> <div></div>	<div>TIME</div> <div></div>
<div>AREA</div> <div></div>	<div>TYPE</div> <div></div>	<div>AREA</div> <div></div>	<div>TIME</div> <div></div>



DRILL PRODUCTS



Our Drill Product range suits a variety of models including Atlas Copco PV235 and Drilltech Pit Vipers DK25, DK45, DK90 and SKF.

DRILL ROD SEAL ASSEMBLY

Our Drill Rod Seals reduce machine downtime and running cost. Flexible, tough rubber compound provides an excellent sealing solution.

TO SUIT ATLAS COPCO PV235


PRODUCT CODE	DESCRIPTION
MAX-2340	Drill Rod Seal and Cone Housing
MAX-2261	Drill Rod Seal 610mm L x 610mm W x 30mm T with Ø165mm centre hole and finger cuts
MAX-2263	Chip Deflector Cone 610mm L x 610mm W x 18mm T flange Ø460mm - Ø210mm cone x 200mm H



DRILL ROD SEALS

Designed to suit : DK25, DK45, DK90, SKF, SKSS & SKS PIT VIPERS*

* Seals for other machines available on request



PRODUCT CODE	DESCRIPTION	CENTRE HOLE Ø
MAX-1304	610 L x 610 W x 30 T	185mm
MAX-1305	610 L x 610 W x 30 T	165mm
MAX-1306	610 L x 610 W x 30 T	90mm
MAX-1488	550 L x 490 W x 30 T	185mm
MAX-1612	550 L x 490 W x 30 T	152mm
MAX-1618	550 L x 490 W x 30 T	130mm
MAX-6943	510 L x 410 W x 25 T	174mm
MAX-1534	400 L x 375 W x 30 T	185mm
MAX-1572	400 L x 375 W x 30 T	150mm
MAX-1631	400 L x 375 W x 30 T	130mm
MAX-1339	667 DIA x 48 T	185mm
MAX-0335	660 DIA x 20 T	203mm
MAX-1965	570 DIA x 20 T	215mm
MAX-1819	354 DIA x 12 T	171mm

DIPPING WEIGHTS & TAPE

FEATURES

- ✓ Attach dipping weight to chain & drop into drill hole to determine depth
- ✓ Made from PVC

SIZE: 450g & 600g

TAPE LENGTH: 30m, 50m or 100m

PRODUCT CODE	SIZE
MAX-DWT45	450g
MAX-DWT60	600g





CHIP DEFLECTOR

Designed to suit : DK25, DK45, DK90, SKF & SKSS PIT VIPERS

CHIP DEFLECTOR

PRODUCT CODE	DIMENSIONS (mm)	PRODUCT INFORMATION
MAX-2252	1000 L x 675 W x 18 T	Chip Deflector Assembly
MAX-2162	1000 L x 750 W x 25 T	Inside Chip Deflector
MAX-2230	1000 L x 790 W x 25 T	Chip Deflector Panel
MAX-2231	1000 L x 790 W x 25 T	Chip Deflector Panel - Outside
MAX-2131	1000 L x 900 W x 18 T	Outside Chip Deflector Assembly
MAX-2254	1000 L x 900 W x 18 T	Chip Deflector Assembly
MAX-2161	1000 L x 900 W x 25 T	Outside Chip Deflector
MAX-2233	1090 L x 1000 W x 25 T	Chip Deflector Panel - Inside
MAX-2132	1150 L x 500 W x 15 T	Chip Deflector
MAX-2253	1175 L x 800 W x 18 T	Chip Deflector Assembly
MAX-2209	1380 L x 800 W x 16 T	Chip Deflector
MAX-2286	1380 L x 800 W x 20 T	Chip Deflector




DRILL CHIP DEFLECTOR

PRODUCT CODE	DIMENSIONS (mm)
MAX-0941	Ø587 flange x 12mm thick Ø495 at top Ø140mm at bottom 275mm high
MAX-2263	610mm x 610mm flange Ø460mm - Ø210mm cone x 200mm H
MAX-2074	Ø587 flange x 12mm thick Ø495 at top Ø170 at bottom x 246mm H
MAX-2338	Ø610mm flange Ø510mm - Ø210mm cone x 200mm H



DRILL NAPPY - CHIP DEFLECTOR

PRODUCT CODE	PRODUCT INFORMATION	MAY SUIT
MAX-1707	Drill Chip Deflector/Nappy	Drilltech
MAX-2084	Outside Chip Deflector Assembly	Sandvik DK90
MAX-2085	Chip Deflector Panel - Type 2	
MAX-2086	Chip Deflector Assembly - Inside	Sandvik DK90



These parts are designed for various drill machines as aftermarket parts.

We recommend confirming dimensions prior to ordering.

FLOOR PROTECTION

Keep your drill foot and workshop floor protected with our Drill Foot Floor Protection Mats.

FEATURES

- ✓ Safe and supportive
- ✓ Hollow, circular design to allow the bolts to sit without hitting the workshop floor
- ✓ Strong load rated polyurethane
- ✓ Handles for easy application
- ✓ Lightweight



We reserve the right to change the product specification without notice.