



ACCUMAX
GLOBAL

Site Safety

EDITION 9



Contents

Emergency Showers	3	Safety Stations	18
Eye Wash	3	Vinyl Holder	19
Solar Mobile Safety Shower and Eye Wash Station	5	Electrical Safety	20
Fire Extinguishers	6	MAXSafe™ Anti-Slip	22
Fire Equipment and Accessories	7	Anti-Vibration Standing and Kneeling Mats	24
SDS Signs	8	Site Vehicle Safety	25
SDS Holders	9	Delineators	27
First Aid Kits	10	Stackable Bollards	29
Site Safety Barriers	12	Pyramid Cones	30
Site Safety	15	Solar Warning Beacon	32
Scaffold Inspection Tag	17	Signage Accessories	32

Our range of Site Safety products are sourced direct from leading global manufacturers, to ensure continuity of supply and maximum value on every product.

The MAXSafe® Trademark has become well known, has a proven track record, and is respected across many industries.

We are more than happy to work with you to make absolutely certain that you are getting the right product for the right application. Speak to us today!



Emergency Showers

Floor Mounted Combination Unit with Drench Shower & Eyewash

The Combination Safety Shower & Eyewash Unit saves space and fits into any work environment, allowing workers to flush away hazardous substances.

Stainless Steel Showerhead

- » 10" 304 stainless steel showerhead
- » Complies to EN 15154-1&2, AS 4775:2007, ANSI Z358.1-2014

PRODUCT CODE: AM-SS-SHE

Antiscald Valve

Protects emergency showers from over temperature conditions.

PRODUCT CODE: AM-HAT-SP



AM-HAT-SP



AM-SS-SHE

Eye Wash

Gravity Fed Portable Eyewash

Gravity Fed Eye Wash Stations are designed to be used in situations where a person's eyes have been exposed to hazardous or corrosive materials and a continuous supply of water is not available.

The Eye Wash unit can be installed in a wide variety of locations. Seconds can make the difference and the versatility of the Gravity Fed Portable Eyewash increases the chance of preventing serious eye injury.

FEATURES

- » 2.6 L/min Flow Speed
- » Contains two ABS spray heads with rubber dust covers
- » Complies with AS 4775
- » Drainage hole at the base of the unit makes it easy to discharge and clean



Easy to use, just pull the rubber strap to activate

AM-S7502



AM-S7501



AM-S7500

Product Code	Description	Capacity	Flush Time
AM-S7500	comes with Wall Mounting Bracket	60 L	18 minutes
AM-S7501	comes with Wall Mounting Bracket	30 L	9 minutes
AM-S7502	comes with trolley and locking breaks on wheels	60 L	18 minutes

Eye Wash Duo

The 1000 ml Saline Eye Wash Duo Bottle with 0.9% sterile sodium chloride contains 1000ml eye wash, which provides a longer rinsing effect. The 500 ml pH Neutral Eye Wash Duo comes in a handy bottle with 4.9% sterile phosphate buffer that will quickly neutralize acids and alkali.

The ergonomic DUO eye cup makes it possible to rinse both eyes at the same time. The bottle can be used individually or as refill at DUO eye wash stations and boxes.

Product Code	Description	Rinsing Time
AM-H7584	1000 ml Saline Eye Wash Duo	about 5 mins
AM-H7583	500 ml pH Neutral Eye Wash Duo	about 2 mins



Emergency Eye/Facewash

FEATURES


- » Pedestal Mounted
- » Stainless Steel Pipe
- » Stainless Steel Pipe Bowl
- » Inline Strainer



Product Code	Description
AM-H7777	Emergency Eye/Facewash

Eye Wash Duo – Wall Mount

The Wall station comes 1000ml Saline Eye Wash DUO or with 500 ml pH Neutral Eye Wash DUO and 1000 ml Saline Eye Wash DUO. Particularly suitable for places where there are risks for both eyes to be affected by foreign bodies, acids, and alkali.



AM-H7554


Dust-proof wall station in impact-proof polystyrene with 500ml pH Neutral Eye Wash DUO and 1000ml Saline Eye Wash DUO. Particularly suitable for dusty production areas.

Product Code	Description	Packaging	Dimensions
AM-H7543	Saline Eye Wash Station Duo – Wall Mount	1	375mm x 180mm x 95mm
AM-H7541	Saline / pH Combi-Station Duo – Wall Mount	1	377mm x 250mm x 95mm
AM-H7554	Combi-Box Duo Maxi – Wall Mount	1	357mm x 252mm x 116mm

How to Use Eye Wash Duo




Duo Eye Wash is easy to use if an accident happens



Turn the eye cup in the direction of the arrow until the seal breaks



Lean back, squeeze the bottle and rinse



The eye can also be rinsed while you lean forward, by squeezing the bottle gently

Solar Mobile Safety Shower and Eye Wash Station

FEATURES

- ✓ Stainless Steel fold up Shower
- ✓ Stainless Steel fold up Eye/Face Wash
- ✓ 1500 Ltr Water Tank
- ✓ 5mm Colorbond Steel Skin
- ✓ 235 amp deep cycle battery
- ✓ Battery isolation switch
- ✓ Battery power level indicator
- ✓ Green LED light on shower head
- ✓ Water level and temperature gauge
- ✓ Full signage and reflective tape
- ✓ Skid mount for transport
- ✓ Cyclone rated



This completely self-contained, Mobile Safety Shower and Eyewash Station has been designed for use in remote area applications. Designed and made in Australia, the units are fully trailer mountable and are either Battery Powered or Solar Powered, with enclosed 1250L or 1500L water tanks.

The Battery Powered station, when charged, can run the emergency shower and eye wash for up to 40 hours.

FEATURES DEPENDING ON UNIT TYPE

- ✓ Solar panels
- ✓ Galvanised 2 tonne tandem axle trailer

Product Code	Capacity	Description
MAX-MSSPB	1250L	240 V Battery Power
MAX-MSSPS	1250L	Solar Power
MAX-MSSHBP	1500L	Battery Powered
MAX-MSSHBP-TM	1500L	Battery Powered - Trailer Mounted
MAX-MSSHSP	1500L	Solar Powered
MAX-MSSHSP-TM	1500L	Solar Powered - Trailer Mounted



Fire Extinguishers

Our Fire Extinguishers can be used to protect your office, shop, vehicle, industrial workplace or storage facility. View our Fire Extinguisher Selection Chart to ensure you buy the extinguisher most suited to your application.



FE-001



FE-0015



FE-002



FE-0025



FE-0045



FE-0090



FE-002CO2



FE-035CO2



FE-050CO2



FE-90AW



FE-WC20



FE-WC70

Product Code	Description	Agent Capacity	Agent Type	Total Weight	Fire Rating	Dimension
ABE Powder Extinguisher						
FE-001	1.0 Kg Fire Extinguisher – ABE Powder Type	1.0 kg	ABE Dry Chemical Powder	1.98 kg	1A:20B:E	85 x 351mm
FE-0015	1.5 Kg Fire Extinguisher – ABE Powder Type	1.5 kg	ABE Dry Chemical Powder	3.2 kg	2A:30B:E	100 x 370mm
FE-002	2.0 Kg Fire Extinguisher – ABE Powder Type	2.0 kg	ABE Dry Chemical Powder	3.8 kg	3A:30B:E	110 x 402mm
FE-0025	2.5 Kg Fire Extinguisher – ABE Powder Type	2.5 kg	ABE Dry Chemical Powder	4.7 kg	3A:40B:E	131 x 435mm
FE-0045	4.5 Kg Fire Extinguisher – ABE Powder Type	4.5 kg	ABE Dry Chemical Powder	7.8 kg	4A:60B:E	145 x 560mm
FE-0090	9.0 Kg Fire Extinguisher – ABE Powder Type	9.0 kg	ABE Dry Chemical Powder	13.9 kg	6A:80B:E	183 x 615mm
CO2 Extinguisher						
FE-002CO2	2.0 Kg Fire Extinguisher – CO2 Type	2.0 kg	Carbon Dioxide	5.1 kg	2B:E	119 x 500mm
FE-035CO2	3.5 Kg Fire Extinguisher – CO2 Type	3.5 kg	Carbon Dioxide	9.0 kg	5B:E	153 x 535mm
FE-050CO2	5.0 Kg Fire Extinguisher – CO2 Type	5.0 kg	Carbon Dioxide	12.0 kg	10B:E	153 x 680mm
Air / Water Extinguisher						
FE-90AW	9.0 Litre Fire Extinguisher – Air/Water Type	9.0 L	Air & Water	12.1 kg	3A	175 x 630mm
Wet Chemical Extinguisher						
FE-WC20	2.0 Litre Fire Extinguisher – Wet Chemical Type	2.0 L	Wet Chemical	4.1 kg	1A:4F	102 x 445mm
FE-WC70	7.0 Litre Fire Extinguisher – Wet Chemical Type	7.0 L	Wet Chemical	11.6 kg	3A:4F	181 x 630mm

Fire Equipment and Accessories

We have the expertise and Fire Safety Equipment to help you quickly and easily solve fire safety compliance issues at your workplace. All of our fire safety equipment is sourced directly from leading manufacturers to ensure continuity of supply and maximum value on every product. All our fire safety equipment is manufactured to the highest standards, approved & certified to AS/NZS standards 1841.5 and carries the SAI Global 5 ticks of approval.

Extinguisher Cabinets

Galvanised Metal Cabinet

Fitted with 003 lock and a key in the break glass panel. High quality powder coated finish.

Product Code	Description	Dimension
FE-MC45	Fits 4.5kg DCP extinguisher	590mm H, 280mm W, 210mm D
FE-MC90	Fits 9kg DCP extinguisher	760mm H, 280mm W, 230mm D



FE-MC45



FE-MC90

Plastic Cabinet

Our Heavy-Duty Cabinets come with latches for easy access.

Product Code	Description	Dimension
FE-PC45	Fits 4.5kg DCP extinguisher	700mm H, 290mm W, 255mm D
FE-PC90	Fits 9kg DCP extinguisher	825mm H, 317mm W, 265mm D



FE-PC90



FE-PC45

Vehicle Brackets


Product Code	Description
FE-HDBR45	Heavy duty vehicle bracket to suit 4.5kg extinguisher
FE-HDBR90	Heavy duty vehicle bracket to suit 9kg extinguisher
FE-OCBR45	Over centre vehicle bracket to suit 4.5kg extinguisher
FE-OCBR90	Over centre vehicle bracket to suit 9kg extinguisher




FE-HDBR45



FE-HDBR90



FE-OCBR45




FE-OCBR90



Fire Extinguisher Backing Boards

MATERIAL: Aluminium Class 1 reflective

Product Code	Dimension
790C1	900mm x 600mm
791C1	1200mm x 900mm
792C1	1500mm x 1200mm



Maintenance Tag & Security Ties



Product Code	Description
FE-MTAL	Maintenance Tag
FE-STB	Security Tie - Black
FE-STG	Security Tie - Green
FE-STR	Security Tie - Red
FE-STY	Security Tie - Yellow



Extinguisher Bags

The UV treated plastic extinguisher bags are designed to protect fire extinguishers from harsh indoor production areas or dusty outdoor environments.



FEBAG-4001



FEBAG-9001

Product Code	Description
FEBAG-4001	Extinguisher Bags to suit 4.5kg extinguishers
FEBAG-9001	Extinguisher Bags to suit 9kg extinguishers

Fire Blankets

Fire blankets are effective in cases of minor fires without the mess associated with fire extinguishers. Complies to AS/NZS 3504.



FB12



FB18



FB1818

Product Code	Size
FB12	1200mm x 1200mm
FB18	1800mm x 1200mm
FB1818	1800mm x 1800mm

MATERIAL: Woven fibreglass with plastic cover

SDS Signs

SDS Signs

SDS Signs indicate where Safety Data Sheets, documents providing information on the properties of hazardous chemicals and their effect on health and safety, are located within the workplace.

Clearly indicating where SDS binders and sheets are kept for easy usage is an integral part of ensuring your workplace complies with Safe Work Australia Standards.



Product Code	Size	Description
511LACM	600 x 450mm	Alucabond
511LP	600 x 450mm	Polypropylene
511LSACM	450 x 300mm	Alucabond
511LSP	450 x 300mm	Polypropylene
511MACM	300 x 225mm	Alucabond
511MP	300 x 225mm	Polypropylene
511OWP	225 x 225mm	Off Wall Poly
511DA	240 x 180mm	Self Adhesive

SDS Holders

Safety Data Sheets (SDS) Wall Mount Stations, holders and signs are effective ways of ensuring critical information are protected, accessible and can easily be located whenever needed. We offer both indoor and outdoor solutions to efficiently organise safety and/or emergency information.

Lockable Emergency Info Cabinet

Robust Outdoor Storage Cabinet for mounting at entrance of property for emergency information.



Product Code	Dimensions
MB108	430 x 330 x 120 mm
MB106	500 x 500 x 160 mm

SDS Binders and Outdoor Holder

SDS Binders enable a highly visible way of storing SDS Documents and often used in conjunction with the wall mount SDS stations for mounting near doorways.



SDSB



SDSY



SDH409

Product Code	Description
SDSB	A4 Binder – Red/White
SDSY	A4 Binder – Black/Yellow
SDH409	Outdoor SDS holder A4; holds 1 x SDS Binder

SDS Wall Mount Binder Stations

SDS Wall Mount Binder Stations keeps folders easily accessible and highly visible. Our Binder Stations are manufactured from acrylic and powder coated aluminium and are high-vis red for easy identification. For easy installation, they come with mounting holes.



SDH403



SDH405

Product Code	Description	Material
SDH403	Indoor Station for 1 SDS binder	Acrylic
SDH405	Outdoor Station for 1 SDS binder	Aluminium

Outdoor SDS Sheet Holders

The Outdoor SDS Sheet Holders are made using high density polyethylene and is durable, rustproof and easy-to-clean.



SDH407



SDH408



SDH410



SDH411

Product Code	Description	Holds
SDH407	Outdoor Flip Top SDS holder	A4 sheets
SDH408	Outdoor Front Opening SDS holder	A4 sheets
SDH410	Outdoor Front Opening SDS holder	A5 sheets
SDH411	Outdoor Tube SDS holder	A4 sheets

First Aid Kits



LLS3B



LLF3B



LLC3B



LLS4B



LLF4B



LLC4B



LLS5B



LLF5B



LLC5B

Product Code	Description	Dimension
Workplace Response Kit 3 – Up to 15 Persons		
LLS3B	Softpack Kit 3 - c/w carry handle and belt strap	320mm x 160mm x 185mm H
LLF3B	Plastic Case Kit 3 - cantilevered trays and water resistant	320mm x 160mm x 185mm H
LLC3B	Metal Cabinet Kit 3 - lockable steel cabinet with shelving and door rack	260mm x 320mm x 120mm H
Workplace Response Kit 4 – Up to 50 Persons		
LLS4B	Softpack Kit 4 - c/w carry handle and belt strap	380mm x 200mm x 150mm H
LLF4B	Plastic Case Kit 4 - cantilevered trays and water resistant	390mm x 200mm x 230mm H
LLC4B	Metal Cabinet Kit 4 - lockable steel cabinet with shelving and door rack	330mm x 450mm x 170mm H
Workplace Response Kit 5 – Up to 100 Persons		
LLS5B	Softpack Kit 5 - c/w carry handle and belt strap	380mm x 200mm x 150mm H
LLF5B	Plastic Case Kit 5 - cantilevered trays and water resistant	390mm x 200mm x 230mm H
LLC5B	Metal Cabinet Kit 5 - lockable steel cabinet with shelving and door rack	330mm x 450mm x 170mm H

Other First Aid Kits



LLS2C



LLFFB



LLSOR



LLSTP



LLSSB



LLSTD



LLFBM



LLMND

Product Code	Description	Dimensions
LLS2C	Softpack Kit 2 - Ideal for small office or vehicle	210mm x 150mm x 75mm H
LLFFB	Basic First Aid Kit - Basic entry level kit in clear case	195mm x 155mm x 45mm H
LLSOR	Softpack Offroad Survival Kit – Best selling kit for the mining industry	330mm x 450mm x 170mm H
LLSTP	Softpack Truck & Plant Operator Kit – Specialist kit for heavy vehicle industry	180mm x 120mm x 70mm H
LLSSB	Snake & Spider Bite Kit - Softpack	160mm x 200mm x 40mm H
LLFBM	Burns Module - Plastic Case	195mm x 155mm x 45mm H
LLSTD	Trauma Deluxe Kit - Softpack	490mm x 300mm x 285mm H
LLMND	Marine First Aid Kit D	460mm x 255mm x 300mm H



Site Safety Barriers

Traffic Cones



Our Hi-vis Traffic Cones come in a variety of sizes and colours to ensure you have the right product for your site. They are a safe and economical delineation and marking system, for traffic and pedestrian flow, and are lightweight and portable for easy set-up. Made from highly durable materials and are suitable for both day and night use.

Product Code	Colour	Size
RC450	Orange	450mm
RC450R	Orange Reflective	450mm
RC700	Orange	700mm
RC700R	Orange Reflective	700mm
RC700-YR	Yellow Reflective	700mm
RC700-GR	Green Reflective	700mm
RC700-BR	Blue Reflective	700mm

T-Top Bollards


T-Top Bollards come with reflective strip for day/night visibility and rubber base for stability.

Product Code	Description
PB6K	1150mm Bollard with 6kg base
PB8K	1150mm Bollard with 8kg base
PB6K-B	base only 6kg
PB8K-B	base only



Reflective Sleeves

Various reflective sleeves are available to suit traffic cones



Product Code	Description
CS450B	450mm Blue Cone Sleeve - Reflective
CS450W	450mm White Cone Sleeve - Reflective
CS450G	450mm Green Cone Sleeve - Reflective
CS450R	450mm Red Cone Sleeve - Reflective
CS700Y	700mm Yellow Cone Sleeve - Reflective
CS700W	700mm White Cone Sleeve - Reflective
CS700R	700mm Red Cone Sleeve - Reflective
CS700B	700mm Blue Cone Sleeve - Reflective
CS700G	700mm Green Cone Sleeve - Reflective

Maxsafe® Flexible Bollard

- » Made of Fluorescent Orange Virgin PU
- » Embedded 3M 3340HIP Tape
- » 2 Cat-Eye in the Base

Product Code	Description	Size
MAX-FB001	MAXSafe Flexible Bollard	750mm



Plastic Chains



PCI-Y



PCI-YB




PCI-RW

Product Code	Description	Colour
PCI-Y	8mm x 40m Rolls	Yellow
PCI-YB	8mm x 40m Rolls	Yellow/Black
PCI-RW	8mm x 40m Rolls	Red/White

Portable Expanding Barriers

- » Ideal for pedestrian control
- » Strong but lightweight for easy carrying and storage
- » Folds up to small footprint when not in use
- » Adjust the length according to your requirement

Product Code	Colour	Size
EB32-Y	Yellow	950mm H x 3.2 metre W
EB32-BY	Yellow/Black	950mm H x 3.2 metre W
EB32-RW	Red/White	950mm H x 3.2 metre W
EB50-BY	Yellow/Black	1050mm H x 5.0 metre W
EB50-RW	Red/White	1050mm H x 5.0 metre W



Barrier with Triangular Metal Legs

Our Barrier with Triangular Metal Legs is a quick and effective way of prohibiting entry and identifying hazards.

- ✓ 2.5m Long board made from durable plastic
- ✓ Board has reflective stripes for day/night visibility
- ✓ Simple disassembly and stores flat



Product Code	Description	Colour	Dimensions
SBBL	Barrier with Metal Legs	Y/Bk	2500mm L
SBBL-L	Legs Only	Y	
SBBL-B	Board Only	Y/Bk	

Wall Mounted Retractable Barrier Tape

MAXSafe® 10 metre Wall Mounted Retractable Barrier Tapes are especially useful in places with limited space. These barrier tapes help restrict areas while keeping the floors free of stanchion posts. Perfect for warehouses or other facilities that need to direct pedestrian traffic for a safer working environment.

KEY BENEFITS

- ✓ Simple and easy to mount
- ✓ Durable
- ✓ Highly visible


Product Code	Colour	Length
RBTWM-RW-10	Red / White	10 metres
RBTWM-YB-10	Yellow / Black	10 metres



MAXSafe® Wall Mounted Retractable Barrier Tape (Red/White) with receiving clip



MAXSafe® Wall Mounted Retractable Barrier Tape (Yellow/Black) with receiving clip



Wall Mounted Retractable Barrier Tape comes with receiving clip

Barrier Tapes

Barrier Tapes are designed for creating temporary barricades to dangerous or restricted areas. Our Barrier tapes are easy to use, they can be tied, stapled, nailed, and wrapped around poles or metal barricades and have the ability to be reused multiple times.

DIMENSIONS: 75 mm x 300 metres




BTYC



BTRWD



BTYB



BTRBW1



BTRW

Product Code	Description
BTYC	Yellow – Caution
BTRWD	Red/White – Danger
BTYB	Black/Yellow
BTRBW1	Blue/White
BTRW	Red/White

Flagging Tapes

Highly visible even from distances, Flagging Tape can be used for marking, surveying, or cordoning off hazardous areas. Our Flagging Tape comes in multiple colours and is suitable for both indoor and outdoor use. Being non-adhesive, it leaves no mark when removed.

DIMENSIONS: 25 mm x 75 metres



Product Code	Colour
FLT1B	Blue
FLT1G	Green
FLT1P	Pink
FLT1W	White
FLT1FG	Fluoro Green
FLT1O	Orange
FLT1R	Red
FLT1Y	Yellow

Reflective Tapes

Our Reflective Tapes are visible in all conditions. They help prevent accidents in various facilities particularly in areas with safety concerns or low lighting conditions.



Yellow



Red



White



Lime Green



Red/White



Yellow/Black



Red/Yellow

Prod Code	Description	Size
CT5Y	Yellow, Class 1	50mm x 47.5m
RT3Y	Yellow, Class 2	50mm x 47.5m
CT5R	Red, Class 1	50mm x 47.5m
CT5W	White, Class 1	50mm x 47.5m
RT3W	White, Class 2	50mm x 47.5m
CT5LG	Lime Green, Class 1	50mm x 47.5m
CT6LG	Lime Green, Class 1	75mm x 47.5m
CT9LG	Lime Green, Class 1	100mm x 47.5m
RT3RW	Red/White, Class 2	50mm x 47.5m
RT4RW	Red/White, Class 2	75mm x 5m
RT3YB	Yellow/Black, Class 2	50mm x 47.5m
RT6YB	Yellow/Black, Class 2	75mm x 47.5m
RT9RY	Red/Yellow, Class 2	100mm x 47.5m



Site Safety

Underground Tapes

Our underground tapes are resistant to high pH soils, discolouration, and rot.



UGT-DTCC / UGT-NDCC



UGT-DTEC / UGT-NDEC



UGT-DTGM / UGT-NDGM



UGT-DTWM / UGT-NDWM



UGT-DTFM / UGT-NDFM



UGT-DTIM / UGT-NDIM



UGT-DTSW / UGT-NDSW



UGT-DTSB / UGT-NDSB



UGT-DTRR / UGT-NDRR



UGT-NDRS



UGT-DTFO



Product Code	Description	Colour	Class	Size
UGT-DTCC	WARNING - Communication Cable Below	White with Black Text	Detectable	150 mm x 500 m
UGT-NDCC	WARNING - Communication Cable Below	White with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTEC	DANGER - Electrical Cable Below	Orange with Black Text	Detectable	150 mm x 500 m
UGT-NDEC	DANGER - Electrical Cable Below	Orange with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTGM	DANGER - Gas Main Below	Yellow with Black Text	Detectable	100 mm x 250 m
UGT-NDGM	DANGER - Gas Main Below	Yellow with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTWM	WARNING - Water Main Below	Green with Black Text	Detectable	100 mm x 250 m
UGT-NDWM	WARNING - Water Main Below	Green with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTFM	WARNING - Fire Main Below	Red with Black Text	Detectable	100 mm x 250 m
UGT-NDFM	WARNING - Fire Main Below	Red with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTIM	WARNING - Irrigation Main Below	Blue with Black Text	Detectable	100 mm x 250 m
UGT-NDIM	WARNING - Irrigation Main Below	Blue with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTSW	WARNING - Storm Water Main Below	Blue with Black Text	Detectable	100 mm x 250 m
UGT-NDSW	WARNING - Storm Water Main Below	Blue with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTSB	WARNING - Sewer Below	Beige with Black Text	Detectable	100 mm x 250 m
UGT-NDSB	WARNING - Sewer Below	Beige with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTRR	WARNING - Recycled/Reclaimed Water Main Below	Lilac with Black Text	Detectable	100 mm x 250 m
UGT-NDRR	WARNING - Recycled/Reclaimed Water Main Below	Lilac with Black Text	Non-Detectable	150 mm x 500 m
UGT-NDRS	DANGER - Railway Signalling Cable	Orange with Black Text	Non-Detectable	150 mm x 500 m
UGT-DTFO	WARNING - Fibre Optic Cable Below	White with Black Text	Detectable	100 mm x 250 m

Safety Steps

MAXSafe Safety Step offers a range of portable solutions to increase individual height without compromising safety and efficiency. The increased reach can lessen the stress on your worker's arms and shoulders, improving overall productivity. Ideally used for accessing elevated storages or performing tasks that need extended reach but do not require a full-sized ladder.

Longstep – Yellow

Our Longstep - Yellow provides a wider base for a superior foot stance and increased stability. It also lessens the need to reposition the platform during prolonged use. Made heavy duty to handle the tough Australian conditions.



RSPL1000

Safety Step – Orange

The Safety Step - Orange is made lightweight yet strong and durable with its single mould construction.



RSPL400

Rectangular 2 Step – Yellow

Our Rectangular 2 Step – Yellow Made with moulded non-slip tread and handles.



RSPL600

Product Code	Description	SWL
RSPL1000	Safety Step - Longstep - Yellow	300kg
RSPL400	Safety Step - Orange	150kg
RSPL600	Safety Step - 2 Step - Yellow	500kg

Anti-Slip Tapes



Yellow Anti-Slip Tape



Black Anti-Slip Tape

Product Code	Size
AST2Y	50mm x 18m
AST4Y	100mm x 18m

Product Code	Size
AST1B	25mm x 18m
AST2B	50mm x 18m
AST4B	100mm x 18m

Site Products

Star Picket Caps are used to prevent injuries when using Star Pickets on site. These caps can protect the Star Picket from harsh weather conditions.



Product Code	Description
AMSPC	Starpicket Caps, UV Resistant - Bag of 100

The highly reflective Breakdown Triangle protects your employees in the event of a breakdown.



Product Code	Description
USBT	Breakdown Triangle - Set of 3, Compact Storage Case included



MAH09



DAH09

Air Horn

Product Code	Description
MAH09	Disposable Air Horn
DAH09	Rechargeable with pump

Butt Bin

Butt out safely with the MAXSafe® Butt Bin!

- » Design restricts oxygen to quickly extinguish butts.
- » Rain protective design keeps water out and eliminates odour.
- » Top of container hinges for easy access to empty internal bin
- » UV Stable Polypropylene
- » C/W Galvanised Bucket



PRODUCT CODE:
MAX-BB01

Scaffold Inspection Tag



Scaffold Tag Kit

- » 20 x MAXSafe® Scaffold Tags - Standard
- » 10 x MAXSafe® Scaffold Tags - Extended/ Duplicate
- » 1 x PK/100 Cable Ties
- » 1 x Permanent Marker Pen

PRODUCT CODE: MAX-STKIT

Scaffold Inspection Tag Components



MAXSafe® Scaffold Tag – Standard

Product Code	Pack Qty
MAX-ST011	20
MAX-ST012	100
MAX-ST013	500



MAXSafe® Scaffold Tag – Extended/ Duplicate

Product Code	Pack Qty
MAX-STEX1	50
MAX-STEX2	500
MAX-STEX3	1000



Marker Pen

Product Code	MAX-STPM
Description	1 pc Permanent Marker Pen



Cable Ties

Product Code	MAX-STCT
Description	Cable Ties - PK/100

The MAXSafe® Scaffold Tag eliminates the limitations of the traditional scaffold tag, by not having to be hung on the scaffold tube. This means that the MAXSafe® Scaffold Tag does not need to be cut or modified to fit in the best place in every situation.

MAXSafe® Scaffold Inspection Tags don't need to be removed or altered throughout the scaffolding process and also has the outstanding feature of being able to extend the certification stage by simply adding an insert tag. Up to 10 inserts can be added per tag.

MAXSafe® Scaffold Tags are the best single package solution in almost every situation for ensuring safety for all users of the scaffold. Designed for use on all work sites, always providing the highest level of safety and compliance.

FEATURES

- ✓ Ultra tough poly construction, virtually untearable
- ✓ Scaffolder friendly
- ✓ Meets and exceeds AS standards
- ✓ Extremely versatile – not limited to where, or how to hang it
- ✓ Cost effective and re-usable
- ✓ Total message on one page
- ✓ Clear to all persons who access scaffold – not just scaffolders
- ✓ High wind resistance
- ✓ Impervious to dust, dirt and grime

Safety Stations



MAX-STR-GF



MAX-STR-SC



MAX-STR-FR

Safety Stations

The full scope of an accident isn't always clear straight away. Having a complete kit in a mobile Safety Station allows you to react quickly and address a wide range of potential incidents. The Trolleys are made from powder coated steel with solid heavy duty wheels. The Cabinets feature hinged doors and lockable latches.

The contents of our Safety Stations have been specifically selected to ensure you have everything you need in order to respond to emergencies quickly and efficiently. The contents can be easily reordered using the reorder codes on the front and back of each Station.

Replacement Trolleys and Cabinets are available. We can also create customised stations to meet specific requirements. Talk to us today to find out more!

DIMENSIONS

Trolley	1500mm H x 650mm W
Cabinet	735mm H x 616mm W x 270mm D



Fire Extinguisher Station

- » 1 x 9kg ABE Powder Fire Extinguisher (FE-0090)
- » 1 x 2kg CO2 Fire Extinguisher (FE-002CO2)

First Aid Station

- » 1 x Snake & Spider Bite Kit (LLSSB)
- » 1 x Dual Personal Eyewash: 1 x 500ml pH & 1 x 1000ml Saline (AM-H7541)
- » 1 x Haemorrhage First Aid Kit (AMFAWT3UMHM)
- » 1 x Minor Wound First Aid Kit (AM-FAWT3UMMWM)
- » 1 x Burns First Aid Kit (AM-FAWT3UMBM)
- » 1 x Extra Stock First Aid Kit (AM-FAWT3UMAM)

Site Safety Station

- » 1 x 15 Person Workplace Response First Aid Kit (LLF3B)
- » 1 x 'Caution' Barrier tape, 75mm x 300m Roll (BTYC)
- » 1 x 40 Litre General Purpose Spill Kit (MAX-40GP)
- » 1 x Disposable Air Horn (MAH09)
- » 1 x A5 SDS Holder (SDH410)
- » 1 x 1000ml Saline Eyewash (AM-H7584)

Product Code	Description	Station Colour
MAX-STR-FR	Fire Extinguisher Station	Red
MAX-STR-GF	First Aid Station	Green
MAX-STR-SC	Site Safety Station	Yellow

Vinyl Holder

Permit and Document Holders

Improve safety and security by making documents available onsite. Our Vinyl Holders will allow you to store copies of your certificates where they are needed. Made from vinyl with a clear front, it protects documents from the elements while allowing easy inspection and retrieval. Any worker can quickly validate if an equipment or production area is safe for operation. Our Vinyl Holders come in velcro closure or zip on 1 side.



A4 Portrait Vinyl Holder - Velcro Closure



A3 Landscape Vinyl Holder - Velcro Closure



Danger Do Not Operate Vinyl Tag



A5 Portrait Vinyl Holder - Zip on 1 Side




A4 Permit Holder Made with Rip Stop Material

Product Code	Description	Colour	Qty	Dimension
MAX-PDHA4P-R-10	A4 Portrait Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Red Back	10	440 x 320 mm
MAX-PDHA4P-Y-10	A4 Portrait Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Yellow Back	10	440 x 320 mm
MAX-PDHA4P-B-10	A4 Portrait Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Blue Back	10	440 x 320 mm
MAX-PDHA3P-R-10	A3 Portrait Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Red Back	10	560 x 390 mm
MAX-PDHA3P-Y-10	A3 Portrait Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Yellow Back	10	560 x 390 mm
MAX-PDHA3P-B-10	A3 Portrait Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Blue Back	10	560 x 390 mm
MAX-PDHA3L-R-10	A3 Landscape Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Red Back	10	455 x 495 mm
MAX-PDHA3L-Y-10	A3 Landscape Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Yellow Back	10	455 x 495 mm
MAX-PDHA3L-B-10	A3 Landscape Vinyl Holder - Velcro - Reflective Strip - Water & UV Resistant	Blue Back	10	455 x 495 mm
MAX-DNOENV-R-100	Danger Do Not Operate Vinyl Tag - Clear Pocket for Personal ID	Red	100	235 x 110 mm
MAX-DNOENV-Y-100	Danger Do Not Operate Vinyl Tag - Clear Pocket for Personal ID	Yellow	100	235 x 110 mm
MAX-DNOENV-B-100	Danger Do Not Operate Vinyl Tag - Clear Pocket for Personal ID	Blue	100	235 x 110 mm
MAX-CPHA5P-R-25	A5 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Red Top	25	340 x 185 mm
MAX-CPHA5P-Y-25	A5 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Yellow Top	25	340 x 185 mm
MAX-CPHA5P-B-25	A5 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Blue Top	25	340 x 185 mm
MAX-CPHA5P-O-25	A5 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Orange Top	25	340 x 185 mm
MAX-CPHA4P-R-25	A4 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Red Top	25	460 x 275 mm
MAC-CPHA4P-Y-25	A4 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Yellow Top	25	460 x 275 mm
MAX-CPHA4P-B-25	A4 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Blue Top	25	460 x 275 mm
MAX-CPHA4P-O-25	A4 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Orange Top	25	460 x 275 mm
MAX-CPHA3P-R-25	A3 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Red Top	25	700 x 345 mm
MAX-CPHA3P-Y-25	A3 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Yellow Top	25	700 x 345 mm
MAX-CPHA3P-B-25	A3 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Blue Top	25	700 x 345 mm
MAX-CPHA3P-O-25	A3 Portrait Vinyl Holder - Zip on 1 side - Eyelet at Top	Orange Top	25	700 x 345 mm
MAX-PDTENV-W-100	Personal Danger Tag - Poly with Clear Vinyl Pocket - Printed both Sides	Red/Black	100	160 x 85 mm

Electrical Safety

Rubber Cable Cover

- ✓ Non Conductive & Economical Cable Protector
- ✓ Suitable for pedestrian and light vehicle traffic
- ✓ 3 good size channels for a variety of cord sizes
- ✓ Hinged Lid for ease of use
- ✓ Safety Yellow Lid with Anti-Slip Surface
- ✓ Suitable for indoor & outdoor use
- ✓ Male/Female interconnect system means you can form your needed length quickly and easily
- ✓ 3x Channels at 60mm W x 50mm H



Product Code	Description
SRCC3	Channels suit up to 3 cables
SRCCEC	End caps to suit - pair

Heavy Duty, Load Rated Pu Cable Cover - 3 Channel

Our Heavy Duty Cable Cover - 3 Channel is made from polyurethane for extended durability, ensuring protection of electrical cables against harsh work environment. It features a hinged lid for easy placement and removal of cables.

- ✓ Male/female connections for any length you require
- ✓ UV stable for outdoor use
- ✓ Hi-viz orange and yellow
- ✓ Anti-slip surface on top and sides
- ✓ Rated to 4.5 T per tyre
- ✓ Suit up to 3 Cables
- ✓ 3 x Channels each 58mm H x 65mm W




Heavy Duty, Load Rated Pu Cable Cover - 3 Channel	
Weight	13 kg
Dimensions	900mm L x 550mm W x 75mm H
Product Code	MAX-HDCC3

Dropover Rubber Cable Cover

To use Dropover Rubber Cable Cover, simply dropover on top of cables. The male/female connections makes it easy to form any length required. Best suited for pedestrian applications.

- ✓ Hi-vis Yellow Cable Protector
- ✓ Made from rubber for flexibility
- ✓ UV stable for outdoor use
- ✓ Anti-slip surface on top and sides
- ✓ Channel Size 40mm W x 10mm H



Dropover Rubber Cable Cover	
Weight	1.5 kg
Dimensions	1000mm L x 130mm W x 20mm H
Product Code	MAX-YDOC

Lead Stands & Lead Hooks

Electrical cables on the ground can be a source of danger to on-site workers. That is why we offer a variety of Lead Stands & Lead Hooks to assist with the elevation of all types of power leads.

Our Lead Stands and Lead Hooks are non-conductive, non-corrosive and highly visible. All are proven to withstand the harsh Australian conditions.

Lead Stand Replacement Hooks



AMLT-P



AMLT-M

MAXSafe™ Poly Base Lead Stand

Complete with 1.2m - 2.4m high non conductive fibreglass pole and plastic lead holder.

MAXSafe™ Metal Base Lead Stand

Complete with 1.2m - 2.4m high metal pole and plastic lead holder.

Lead Hook - Standard

Standard electrical lead hook, non-conductive and non-corrosive.



Lead Hook – Heavy Duty

Heavy duty lead hook SWL tested to 50kg. Non-conductive and non-corrosive.



Product Code	Description
Lead Stands	
MAX-LSPB	MAXSafe™ Poly Base Lead Stand
MAX-LSMB	MAXSafe™ Metal Base Lead Stand
Lead Hooks	
MAX-LHSTD	Lead Hook - Standard
MAX-LHHD	Lead Hook – Heavy Duty
AMLT-P	Replacement Hooks To Suit Poly Base Lead Stand
AMLT-M	Replacement Hooks To Suit Metal Base Lead Stand



MAXSafe™ Anti-Slip

MAXSafe

MAXSafe™ Anti-slip is a premium range of anti-slip products that are designed and manufactured in Australia, for tough Australian conditions.

Reduce and eliminate slip risks in your workplace with our quality anti-slip products for stairs, ladders, conveyor channels and other potential hazards.

Highly effective in both wet and dry conditions, these Anti-slip products have been developed and tested to meet or exceed the most demanding requirements in industrial and commercial environments.

MAXSafe™ Anti-Slip Stair Nosing

Anti-Slip Stairnosing can easily be fitted over existing surfaces to overcome wet or oily steps.

- » Suitable for all stair surfaces - metal, concrete, wood, masonry etc.
- » Chemical, UV and impact resistant.
- » Bright safety yellow - makes all stairs highly visible.
- » AS/NZS Certified.




Product Code	Dimensions	Holes*
MAX-SN01	50mm x 20mm x 580mm	2
MAX-SN02	50mm x 20mm x 730mm	3
MAX-SN03	50mm x 20mm x 880 mm	3
MAX-SN04	50mm x 20mm x 1030mm	3
MAX-SN05	50mm x 20mm x 1180mm	3
MAX-SN06	80mm x 20mm x 450mm	2
MAX-SN07	80mm x 20mm x 600mm	2
MAX-SN08	80mm x 20mm x 750mm	3
MAX-SN09	80mm x 20mm x 900mm	3
MAX-SN10	80mm x 20mm x 1200mm	3
MAX-SN11	100mm x 20mm x 450mm	2
MAX-SN12	100mm x 20mm x 600mm	2
MAX-SN13	100mm x 20mm x 750mm	3
MAX-SN14	100mm x 20mm x 900mm	3
MAX-SN15	100mm x 20mm x 1200mm	3

*Holes for Fixing

MAXSafe™ Anti-Slip Ladder Rungs

FEATURES

- » Bright Safety Yellow - Makes all rungs highly visible
- » Makes rungs safer with broader surface
- » Easy to install
- » AS/NSZ Certified



Product Code	Size
MAX-LR101	20mm Dia - 300mm long
MAX-LR102	20mm Dia - 350mm long
MAX-LR103	20mm Dia - 400mm long
MAX-LR104	20mm Dia - 450mm long
MAX-LR105	20mm Dia - 500mm long
MAX-LR201	25mm Dia - 300mm long
MAX-LR202	25mm Dia - 350mm long
MAX-LR203	25mm Dia - 400mm long
MAX-LR204	25mm Dia - 450mm long
MAX-LR205	25mm Dia - 500mm long

MAXSafe™ Anti-Slip Conveyor Channel

The MAXSafe™ Anti-slip Conveyor Channel is specifically designed to make conveyor walkways with steep incline safer for pedestrian traffic. The bright yellow colour makes the whole walkway highly visible. It comes in standard of 50mm depth with varying widths to suit your application.

FEATURES

- ✓ Chemical, UV and impact resistant
- ✓ AS/NZS certified


Product Code	Size
MAX-CC01	50mm x 580mm
MAX-CC02	50mm x 730mm
MAX-CC03	50mm x 880mm
MAX-CC04	50mm x 1030mm



All MAXSafe™ Anti-slip products are covered by a full 5 year warranty.

MAXSafe™ Anti-Slip Metal Plates

- » Excellent alternative to full decking
- » Install in minutes
- » Chemical, UV, and impact resistant
- » AS/NZS certified



Product Code	Dimensions	Holes*
MAX-MS01	50mm x 580mm	2
MAX-MS02	50mm x 730mm	3
MAX-MS03	50mm x 880mm	3
MAX-MS04	50mm x 1030mm	3
MAX-MS05	50mm x 1180mm	3
MAX-MS06	100mm x 580mm	2
MAX-MS07	100mm x 730mm	3
MAX-MS08	100mm x 880mm	3
MAX-MS09	100mm x 1030mm	3
MAX-MS10	100mm x 1180mm	3

*Holes for Fixing

MAXSafe™ Fixings

Product Code	Description
MAX-MS	Masonry Screws
MAX-CSC	Fastener Clip Set
MAX-SC1	Saddle Clip, Bolt & Lock Nut
MAX-SC2	S/S Saddle Clip, Bolt & Lock Nut
MAX-TS	12 - 24 Tek Screw CL3 Hex SDS
MAX-SF	Sika Flex 252 310mm



MAX-MS



MAX-CSC



MAX-SC1 / MAX-SC2



MAX-TS




MAX-SF

Anti-Vibration Standing and Kneeling Mats

MAXSafe Extreme® Standing Mats

- » Keeps the worker's body in gentle motion to improve circulation and joint lubrication
- » Eliminates high frequency vibrations
- » Designed for multiple applications in many different industries
- » Yellow safety stripes on all edges



Product Code	Description	Dimension
MAX-ESM01	Standing Mat - S	350 x 540 x 25 mm
MAX-ESM02	Standing Mat - M	400 x 710 x 25 mm
MAX-ESM03	Standing Mat - L	450 x 910 x 25 mm
MAX-ESM04	Standing Mat - XL	600 x 910 x 25 mm
MAX-ESM05	Standing Mat - Big	910 x 1520 x 25 mm
MAX-ESM06	Standing Mat - Giant	910 x 2130 x 25 mm



MAX-ESM06

Ergokneel® Kneeling Mats



MAX-EK03



MAX-EK01

MAX-EK02

- » Easy to handle and store with built in carry handle
- » Reduces knee trauma and low back stress
- » Pain free kneeling increases productivity
- » Impervious to petroleum products

Product Code	Description	Dimension
MAX-EK01	MAXSafe Ergokneel Pocket Kneeler - Pk6	100 x 150 x 25mm
MAX-EK02	MAXSafe Ergokneel Handy Mat 1	200 x 400 x 25mm
MAX-EK03	MAXSafe Ergokneel Handy Mat 2	355 x 535 x 25mm

Anti-Fatigue Mat

Anti-Fatigue Mats help reduce the stress associated with prolonged standing on hard surfaces and can be used both indoors and outdoors.

- » Ideal for engine rooms, ute mats, horse floats, workstations etc.
- » Large holes provide quick drainage
- » Low profile allows hand trolleys to pass over easily
- » Will resist lubricants, welding and hot machine sparks



Anti Fatigue Rubber King

Dimension 900mm x 1500mm x 14mm

Product Code IR90150

MaxSafe Anti-Vibration Standing

The MaxSafe Anti-Vibration Standing Mat has been designed specifically to snugly fit the Single and Double Boom Jumbo Decks. Its memory foam-like fabrication compresses under foot creating greater traction.

Product Code	Description	Dimension
MAX-ESM07	To suit Single Boom Jumbo Deck	1100 x 700 x 25mm
MAX-ESM08	To suit Double Boom Jumbo Deck	1500 x 500 x 25mm




Site Vehicle Safety

Wheel Stops

MAXSafe® Wheel Stops are designed to inhibit encroachment into an opposing parking space, or contact with high curbs. Suitable for both outdoor and undercover parking areas.

Rubber Wheel Stops

Rubber Wheel Stops are moulded from a tough, recycled rubber compound and are finished with highly visible yellow marker plates. Complies with Australia Standard AS2890.1:2004



MAXSafe® Rubber Wheel Stops



MAXSafe® Concrete Wheel Stops

Concrete Wheel Stops

Concrete Wheel Stops are designed to meet specifications and comes with Galv Pins to suit.

Asphalt Spikes

To suit Rubber Wheel Stop. Simply hammer into any asphalt surface



Asphalt spikes

Product Code	Description	Fixings	Dimensions	Weight
CWS-2000	MAXSafe® Concrete Wheel Stops	2 x 20mm Dia	2000 L x 200 H x 250mm W	16 kg
RWS1650	MAXSafe® Rubber Wheel Stops	3 x 20mm Dia	1650 L x 160 H x 110mm W	16 kg
RWS	Asphalt spikes (Set of 3)			



Speed Humps

Speed Humps Standard Duty Rubber

A modular speed control system consisting of 500mm body and 180mm end modules. The modules are manufactured from high quality, natural rubber and come in either yellow or black. When laid in an alternating pattern they meet the Australian Standards for colour, height, shape and ramp angle.

Our Speed Humps Standard Duty Rubber suitable for car parks, schools, shopping centres or factory complexes.



Product Code	Description	Colour
SPD500Y	500mm Body module	Yellow
SPD500B	500mm Body module	Black
SPDE5Y	180mm End module	Yellow
SPDE5B	180mm End module	Black
RWS4	Asphalt spikes (Set Of 4)	

Premium Speed Humps

FEATURES

- » Conforms to AS/NZS 2890.1:2004
- » Made from premium natural rubber
- » UV stable colour for durability
- » Built in reflectors for night time visibility
- » Anti-slip pattern on all surfaces


Prod Code	Description	Dimensions	Weight
MAX-SHEB	End Cap - Black	320 x 200 x 50mm H	2 kg
MAX-SHEY	End Cap - Yellow	320 x 200 x 50mm H	2 kg
MAX-SHMB	Middle Section - Black	320 x 250 x 50mm H	4 kg
MAX-SHMY	Middle Section - Yellow	320 x 250 x 50mm H	4 kg
RWS4	Asphalt spikes (Set Of 4)		



Lightweight, easy install sections

Rubber Wheel Chocks

Produced from highly durable, anti-slip rubber, our Rubber Wheel Chocks are simple to use and will grip to virtually any surface.




SEWC02



SEWC01

Product Code	Description	Dimension
SEWC01	Rubber Wheel Chock – Size 1	270 x 180 x 120mm H
SEWC02	Rubber Wheel Chock – Size 2	200 x 150 x 100mm H



Delineators

Using your current Site Traffic Management Plan, install the posts as required in either one metre lengths for centre bunds or two metre lengths for outer edge of haul roads to highlight intersection traffic flow. The configuration is up to you.

Guide Post Compatible with Solar Light

The Guide Posts are designed in one meter lengths. Ribbed at joint for extra strength, the guides posts can be joined to form any lengths. They can be manufactured to be bio-degradable.

FEATURES

- » Directional one - way
- » Recessed 3M Diamond Grade
- » Locking blister
- » Reflective sticker
- » Custom UV resistant dye
- » Recyclable

With flexible configuration options you can use your current traffic management system to install the posts as required. Unlimited applications of the solar delineators are available, the system is not limited to haul roads, but are adaptable to various environments where improved visibility, safety and guidance are needed.

BENEFITS

- ✓ No more looking for your turning point
- ✓ No more second guessing where to go
- ✓ No more turning at the next intersection to go back
- ✓ Simply follow the road like it was the day time
- ✓ The Guidance System was designed to be seen from a great distance during the day or night
- ✓ Operators can plan their actions from hundreds of metres out



Solar delineators support ESG targets by offering an environmentally friendly, costeffective, and socially beneficial solution for use in any application and industry, aligning with broader goals or sustainability and community well-being.



Product Code	Description
MAX-SLPB-KIT	MAXSafe Solar Guide Post Kit Blue, Includes Guide post with Class 1 Reflective Stickers*
MAX-SLPG-KIT	MAXSafe Solar Guide Post Kit Green, Includes Guide post with Class 1 Reflective Stickers*
MAX-SLPR-KIT	MAXSafe Solar Guide Post Kit Red, Includes Guide post with Class 1 Reflective Stickers*
MAX-SLPW-KIT	MAXSafe Solar Guide Post Kit White, Includes Guide post with Class 1 Reflective Stickers*
MAX-SLPY-KIT	MAXSafe Solar Guide Post Kit Yellow, Includes Guide post with Class 1 Reflective Stickers*
MAX-SLBP	Solar powered light
MAX-SLA	Screw on base adapter
PB6K-B	Bollard base 6kg
PB8K-B	Bollard base 8kg



Solar powered light



Bollard base



Screw on base adapter

*Each Kit comes with Base Adaptor & Solar Powered Light

DeliniMate

FEATURES

- » Made from 100% recycled plastic
- » Comes with either CLASS 1 reflective 50mm x 200mm red and white delineators
- » 45-degree cut on the bottom to help it drives into the ground.
- » Fits over 900-1,650mm metal/FRP star pickets, or simply on top of BaseMate, leaving NO sharp edges for optimal safety
- » Packed in bundles of 10 and wrapped in 100% recycled PE bags to keep them clean
- » The triangle shape of the post stops it from twisting to avoid the post facing the wrong way



Product Code	Material	Size
MAX-GP1200	Recycled plastic	1200mm
MAX-GP1500	Recycled plastic	1500mm

Illumimate

FEATURES

- » Fast setup
- » No ground penetration.
- » No tools or hitting implements required.
- » Recycled plastic materials.
- » Night-time Illumination.
- » Easy to store and transport.
- » Aussie made.
- » Highly cost effective.

Product Code	Description
MAX-IMLED	Illumimate Kit – White LED Solar Powered Light, complete with 1200mm Natural Post and Basemate



BaseMate

FEATURES

- » Made from 100% recycled plastic and are in black to increase the UV resistance
- » Designed for areas that are close to underground assets like power, water and gas etc or areas that are too hard to penetrate
- » Simply put a 6 or 8kg weight over the top to hold them down
- » Holes in the base if tent pegs are needed
- » Can hold normal steel or FRP star pickets



Product Code	Description	Material
MAX-MMBM	Holds DeliniMate and Illumimate	Recycled Plastic

AdaptaMate

AdaptaMate is a LED kit that converts the standard 50mm round guidepost with no tools required. With the AdaptaMate you can show exits and intersections at night with a flashing pole utilising your current guidepost system.

The AdaptaMate is a kit with 1 x LED flashing light, 1 x 500mm long post and 1 x AdaptaMate sleeve to adapt the IllumiMate light.



Product Code	Description
MAX-AMLED	Converts round guidepost with no tools



MAXSafe® PVC Guide Post

The MAXSafe® PVC Guide Post is perfect for any site where delineation is required on the edge of roads, walkways etc.

KEY FEATURES

- ✓ Flexible
- ✓ UV stabilised
- ✓ Comes with reflective delineators on both sides

MAXSafe® PVC Guide Post

Product Code: AMGPPVC1

Dimensions: 100 mm W x 1350 mm H



Stackable Bollards

The Stackable Bollards come in a variety of colours to ensure you have the right product for your site. They are a safe and economical delineation and marking system, for traffic and pedestrian flow, and are lightweight and portable for easy set-up. Made from highly durable materials and are suitable for both day and night use.

1000mm Stackable Bollards

FEATURES

- ✓ Ideal to use with Reflectaline® for economical barrier system
- ✓ Use for traffic delineation, crowd control and signage
- ✓ 250mm Class 1 white reflective collar
- ✓ Lightweight & stackable
- ✓ Heavy-duty base strong handle cut out

Product Code	Colour	Size	Weight
MAX-TTS-B	Blue	1000mm H	8kg
MAX-TTS-R	Red	1000mm H	8kg
MAX-TTS-W	White	1000mm H	8kg
MAX-TTS-Y	Yellow	1000mm H	8kg



COLOUR: ■ ■ ■ ■

Pyramid Cones

Pyramid Cones

Made from tough moulded plastic, our pyramid cones are more stable than traditional traffic cones, particularly useful in high wind areas.

Three faces available for messages make them ideal for identifying temporary areas such as blast zones or other restricted access situations.

Our pyramid cones are stackable for compact transport and storage.

FEATURES

- ✓ Made from tough moulded plastic
- ✓ 3 faces available for custom messages
- ✓ Customise with any text on reflective
- ✓ Ideal for identifying temporary areas such as blast zones or other restricted access situations & car parks
- ✓ Stackable & UV stabilised
- ✓ For use with solar warning beacons & Reflectaline®

COLOUR:


SIZE: 600mm or 900mm height

WEIGHT: 4kg or 9kg

Product Code	Colour	Height	Weight
MAX-PC6-BL	Blue	600mm	4kg
MAX-PC6-R	Red	600mm	4kg
MAX-PC6-W	White	600mm	4kg
MAX-PC6-Y	Yellow	600mm	4kg
MAX-PC9-R	Red	900mm	9kg
MAX-PC9-Y	Yellow	900mm	9kg



Available in two sizes & five colours



Our safety cones can be supplied with your own customised message.

Call us for further information.



Solar Warning Beacon

Solar Warning Beacon

FEATURES

- ✓ Solar panel & light sensitive switch
- ✓ LED flashing light in 5 colours
- ✓ Class 1 reflective band
- ✓ Fully sealed from water & dust
- ✓ Attach to regular traffic cones or to our safety cones
- ✓ 500m - 1km visibility
- ✓ Light sensor
- ✓ Flash rate 60 times per minute
- ✓ Longer lasting & durable

SIZE: 200mm


COLOURS:



Product Code	Colour	Size
SWB-BLU	Blue	200mm
SWB-GRN	Green	200mm
SWB-RED	Red	200mm
SWB-WHT	White	200mm
SWB-Y	Yellow	200mm
SWB-BRACKET	Mounting Bracket	



Use the Solar Warning Beacon with our safety cones or standard cones.



Night



Day

Signage Accessories

Concrete Sign Block



MAX-CBB01



MAX-CBB02



MAX-CBB03



MAX-CBB04

Product Code	Description	Post Holes	Weight	Size
MAX-CBB01	Concrete Bollard Sign Blocks	1	900kg	1000 x 600 x 600mm
MAX-CBB02	Concrete Bollard Sign Blocks	1	250kg	500 x 500 x 400mm
MAX-CBB03	Concrete Bollard Sign Blocks	2	900kg	1000 x 600 x 600mm
MAX-CBB04	Concrete Bollard Sign Blocks	1	340kg	700 x 500 x 400mm

Also available:
concrete tie-downs



ACCUMAX
GLOBAL

More safety barrier solutions and signage available.
Contact us on **1300 222 862** or sales@accumax.com.au to learn more.
accumax.com.au